HP PageWide Managed Color MFP E58650 series



Ultimate value,³ fastest speeds,¹ and deepest security² for today's enterprise.

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies



HP PageWide Managed Color MFP E58650dn



HP PageWide Managed Color Flow MFP

Professional color, breakthrough total cost

- Results you expect and lasting value—breakthrough total cost of ownership, the lowest in its class.³
- Print professional-quality color on a variety of papers—perfect for office use.
- Print up to 2.5x more pages⁴ and replace less often than standard cartridges⁵ with high-
- Spend less time and budget on scheduled maintenance with streamlined HP PageWide Technology.6

Enterprise productivity at unmatched speeds¹

- Wait less, print more with unmatched speeds 1—up to 75 ppm—and superfast first-page
- Fast two-sided scanning—up to 70 ipm⁸—and HP EveryPage help workgroups capture data with confidence.
- Enter data quickly with the pull-out keyboard and transfer scans into editable text, using
- Queue jobs, embed solutions, and use multiple functions at once—scan, copy, or fax while someone is printing.

Unparalleled fleet security and management²

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown. 10
- Help protect data on the MFP and in transit, using embedded security features and 256bit encryption. 10
- Help build business efficiency with HP Web Jetadmin, ¹¹ plus deploy over HP and 180 third-party solutions.
- Employ policy-based, fleet-wide protection features, using optional HP JetAdvantage Security Manager. 12

Proven technology. Outstanding energy efficiency.

- Add a spot of color to documents without raising costs. 14 Regulate color use with HP Color Access Control.
- Print up to 16,000 color pages and up to 21,000 black-and-white pages—and go longer between replacements.5
- Conserve with HP PageWide Technology—designed to use less energy than any MFP in its class. 13
- Get professional-quality color documents and the performance you expect with Original HP PageWide cartridges.

¹ Comparison of Enterprise devices based on manufacturers' published specifications of fastest available color mode of color business A4 MFPs \$1000-\$3000 USD as of November 2015, excluding other HP PageWide products, and products with 1% or lower market share using market share as reported by IDC as of Q3 2015. HP PageWide speeds based on General Office mode and exclude first page. Learn more at http://www.hp.com/go/printerspeeds

The production of the producti

http://www.hp.com/go/learnaboutsupplies

4 Yield based on ISO 24711 cartridge yields for HP 981YC Extra High Yield Original PageWide Cartridges, which are not included in printer purchase; purchase separately. Comparison based on ISO 24711 cartridge yields for

HP 981YC Extra High Yield Original PageWide Cartridges compared with HP 981 series Original PageWide Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies

5 Based on ISO 24711 cartridge yields for HP 981 series High Yield Original PageWide Cartridges compared with HP 981 series Original PageWide Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies

6 Less scheduled maintenance based on 150,000 pages printed, and published comparisons of majority of in-class color laser printers and A4 MFPs \$1000-\$3000 USD as of November 2015; market share as reported by

IDC as of Q3 2015. Learn more at http://www.hp.com/go/pagewideclaims

Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and it may be limited during active VPN

connections.

8 Scan speeds for E58650d are up to 70 images per minute (ipm) for A4 paper size; up to 74 ipm for letter size. Scan speeds for E58650dn are up to 44 ipm for A4 size; up to 46 ipm for letter size. Scan-to functions require an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hpconnected.com

⁹ Embedded OCR is intended for occasional use. For high-volume OCR usage, consider optional server-based HP Digital Sending Software.

10 Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity

¹¹ HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin
12 Based on HP internal research on competitor offerings (Device Security Comparison January 2015), and Solutions Report on HP JetAdvantage Security Manager 2.1 from Buyers Laboratory LLC, February 2015. Requires

separate purchase. For details, see http://www.hp.com/go/securitymanager

separate purchase. For uetails, see http://www.hp.com/go/securitymanager

13 Energy claim for Enterprise devices based on TEC data reported on energystar.gov. Data normalized to determine energy efficiency of majority of in-class color laser MFPs \$1000-\$3000 USD and color laser printers
\$500-\$1249 USD as of November 2015; market share as reported by IDC as of Q3 2015. Actual results may vary. Learn more at http://www.hp.com/go/pagewideclaims

14 Available only as part of an HP Managed Print Services contract. Feature applies to pages with the equivalent of an approximately ½ x ½-inch or 12.7 mm x 12.7 mm square of color coverage. For details, contact your HP MPS account manager.

Product walkaround

- 1. 100-sheet automatic document feeder (ADF) with single-pass, two-sided scanning with HP EveryPage (586z only)
- 2. Intuitive 8-inch (20.3 cm) pivoting color touchscreen
- 3. Flatbed scanner handles up to 8.5 x 14 in (216 by 356 mm) paper
- 4. Hardware integration pocket¹ for solution integration
- 5. Easy-access USB port to save and print files directly
- 6. Pull-out keyboard for easy, accurate data entry (586z model only)
- 7. Front door access to ink cartridges
- 8. Built-in automatic two-sided printing
- 9. 50-sheet multipurpose tray 1
- 10. 500-sheet input tray 2
- 11. 300-sheet output bin
- 12. HP High-Performance Secure Hard Disk
- 13. Fax port
- 14. Slot for cable-type security lock
- 15. Hi-Speed USB 2.0 printing port
- 16. Built-in Gigabit Ethernet
- 17. USB port for connecting external USB devices



Series at a glance





Model	HP PageWide Managed Color MFP E58650dn	HP PageWide Managed Color Flow MFP E58650z
Model (product number)	MFP E58650dn (L3U42A)	Flow MFP E58650z (L3U43A)
50-sheet multipurpose tray 1; 500-sheet tray 2	√	
1x500-sheet paper tray	Optional	
3x500-sheet paper tray and stand	Optional	
Printer cabinet and stand	Optional	
HP High-Performance Secure Hard Disk	√	
Scan speed (single-pass, two-sided, letter/A4) ^{2,3}	Up to 45/43 images per minute (ipm), black; up to 40/38 ipm, color	Up to 68/64 ipm, black; up to 60/58 ipm, color
Wireless direct Printing ⁴ /NFC ⁵	Optional	
Fax	Optional	√
Advanced workflow features, including pull-out keyboard	Not available	√

¹Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.

²Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

³Scanning requires an Internet connection to the MFP. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com

⁴Wireless direct printing requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi® network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP. For details, see hpconnected.

hp.com/go/businessmobileprinting.

5 Touch-to-print capability requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)—enabled printing. For more information, see hp.com/go/businessmobileprinting

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc:

Top features

Count on exceptional value and the results enterprises need to stay ahead—HP PageWide Technology is engineered to produce professional-quality color documents for the lowest total cost of ownership in its class.³

Help elevate workgroup productivity with best-in-class print speeds, 1 blazing-fast first-page printing, and single-pass two-sided scanning. Built-in Gigabit Ethernet and wireless printing options help busy teams stay

Trust that this HP PageWide Managed MFP is secure from power-up to power-down. Count on strong protection for devices, data, and documents with deepest embedded printer security from HP,² and centrally manage your entire fleet with ease.

Minimize interruptions and downtime with efficient, reliable performance. Conserve resources with an MFP designed to use less energy than lasers. 13 HP PageWide Technology is ideal for today's busy office.

Accessories

2MU47A HP Accessibility Assistant

2NR09A HP 2GB 144-Pin DDR3 TAA Version DIMM

2TD64A HP Accessibility Kit

3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory

B5L28A HP Internal USB Ports

B5L31A HP Foreign Interface Harness

CC487A HP LaserJet MFP Analog Fax Accessory 500 E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM

E5K49A HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM

F5S62A HP Trusted Platform Module Accessory

G1W43A HP PageWide Enterprise 500-sheet Paper Tray

G1W44A HP PageWide Enterprise Printer Cabinet and Stand

G1W45A HP PageWide Enterprise 3x500 sheet Paper Tray and Stand

J8030A HP Jetdirect 3000w NFC/Wireless Accessory

J8031A HP Jetdirect 2900nw Print Server

A7W12A HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional Chinese

Supplies

HP 981YC Extra High Yield Black Original PageWide Cartridge (~21000 ISO yield) LOR20YC

HP 981YC Extra High Yield Cyan Original PageWide Cartridge (~16000 ISO yield) LOR17YC

HP 981YC Extra High Yield Magenta Original PageWide Cartridge (~16000 ISO yield) LOR18YC

HP 981YC Extra High Yield Yellow Original PageWide Cartridge (~16000 ISO yield) LOR19YC

Services

U9CY4E - HP 3 year Next Business Day + DMR Color PageWide Enterprise 586 MFP Hardware Support

U9CY5E - HP 4 year Next Business Day + DMR Color PageWide Enterprise 586 MFP Hardware Support

U9CY6E - HP 5 year Next Business Day + DMR Color PageWide Enterprise 586 MFP Hardware Support

H2872E - HP Network Installation Mid-High Color LaserJet PageWide printer Service















http://www.hp.com/go/printerspeeds

Only HP Enterprise-class devices with FutureSmart offer a combination of security features for integrity checking down to the BIOS with self-healing capabilities. A FutureSmart service pack update may be required to

activate security features. Learn more at http://www.hp.com/go/printersthatprotect

Total cost of ownership Enterprise comparison based on 150,000 pages, manufacturers' published specifications for page yields and energy use, manufacturers' suggested retail price for HP hardware and supplies, average street prices for competitive devices, cost per page based on ISO yield with continuous printing in default mode with highest-available-capacity cartridges, and long-life consumables of all color business A4 MFPs \$1000=\$3000 USD as of November 2015, excluding products with 1% or lower market share as reported by IDC as of Q3 2015. Learn more at http://www.hp.com/go/pagevideclaims and http://www.hp.com/go/pagevidecla

⁴ Yield based on ISO 24711 cartridge yields for HP 981YC Extra High Yield Original PageWide Cartridges, which are not included in printer purchase; purchase separately. Comparison based on ISO 24711 cartridge yields for HP 981YC Extra High Yield Original PageWide Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies

5 Based on ISO 24711 cartridge yields for HP 981 series High Yield Original PageWide Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies

Less scheduled maintenance based on 150,000 pages printed, and published comparisons of majority of in-class color laser printers and A4 MFPs \$1000-\$3000 USD as of November 2015; market share as reported by IDC as of Q3 2015. Learn more at http://www.hp.com/go/pagewideclaims

7 Wiseless produce a market share as reported by IDC as of Q3 2015. Learn more at http://www.hp.com/go/pagewideclaims

Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and it may be limited during active VPN

Scan speeds for E58650z are up to 70 images per minute (ipm) for A4 paper size; up to 74 ipm for letter size. Scan speeds for E58650dn are up to 44 ipm for A4 size; up to 46 ipm for letter size. Scan-to functions require ⁹ Embedded OCR is intended for occasional use. For high-volume OCR usage, consider optional server-based HP Digital Sending Software.

Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity 11 HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin

¹² Based on HP internal research on competitor offerings (Device Security Comparison January 2015), and Solutions Report on HP JetAdvantage Security Manager 2.1 from Buyers Laboratory LLC, February 2015. Requires separate purchase. For details, see http://www.hp.com/go/securitymanager

13 Energy claim for Enterprise devices based on TEC data reported on energystar.gov. Data normalized to determine energy efficiency of majority of in-class color laser MFPs \$1000-\$3000 USD and color laser printers

\$500-\$1249 USD as of November 2015; market share as reported by IDC as of Q3 2015. Actual results may vary. Learn more at http://www.hp.com/go/pagewideclaims

14 Available only as part of an HP Managed Print Services contract. Feature applies to pages with the equivalent of an approximately ½ x ½-inch or 12.7 mm x 12.7 mm x quare of color coverage. For details, contact your

HP PageWide Managed Color MFP E58650 series

	HP PageWide Managed Color MFP E58650dn	HP PageWide Managed Color Flow MFP E58650z
Product number AIO functions	L3U42A Print, copy, scan; AIO multitasking supported: Yes	L3U43A Print, copy, scan, fax; AlO multitasking supported: Yes
Print		
rint speed ^{6,7} , rint resolution	Letter: Up to 50 ppm Black; Up to 50 ppm Color; 2-sided: Up to 25 ipm Black; Up to 25 ipm Color; First page out: As Black (best) Up to 1200 x 1200 optimized dpi (when printing from a computer on HP ColorLok paper, HP Premium	
	Black (best) Up to 1200 x 1200 optimized dpi (when printing from a computer on HP ColorLok paper, HP Premium Color (best): Up to 2400 x 1200 optimized dpi (when printing from a computer on HP Advanced Photo Papers and HP PageWide Technology, Print resolution technology, HP PageWide Technology	60Ó x 600 input dpi)
rint technology rint cartridges number	4 (1 each black, cyan, magenta, yellow)	
tandard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)	
rinter smart software eatures	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs,	
Printer management / HP SureSupply ¹⁰	Printer Administrator Resource Kit for HP Universal Print Driver (UPD Active Directory Administrator Template, Add Printing Administration, PRNOM EXE, HPPRLOG, Migrate-Server-Tools, UpdateNow, Remove Plug and Play Drivers JetAdvantage Security Manager/ Yes	Print Model to Comments, AutoUpgradeUPD, Driver Configuration Utility, Driver Deployment Utility, HP Managed ;; HP Web Jetadmin Software; Resource Kit for HP Web Jetadmin (HP SNMP Proxy Agent, HP WS Pro Proxy Agent); H
Scan Scan type / Technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)	
can resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi	
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OC Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TE (OCR), Unicode TEXT (OCR), Searchable PDF (OCR), Searchable PDF (OCR), HTML (OCR), CSV (OCR); P from easy access USB: PDF, PS, Print Ready files (.pm, .pcl, .cht)
can input modes	Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXP) applications	Front panel applications: Copy, E-mail, Fax, Save to Network Folder, Save to USB, Save to Device Memory, Save to SharePoint, Open Extensibility Platform (OXP) applications
can Size	ADF: 8.5 x 14 in Maximum; 4.1 x 5 in Minimum; Flatbed: 8.5 x 14 in	Lie & AF and 770 in a (60) and AF and 770 in a (all a) Duploy Lie & 70 in a (60) and a 70 in a (all a)
can speed	Up to 44 ppm/44 ipm (b&w), up to 40 ppm/40 ipm (color) Duplex: Up to 44 ipm (b&w), up to 40 ipm (color)	Up to 45 ppm/70 ipm (b&w), up to 45 ppm/70 ipm (color) Duplex : Up to 70 ipm (b&w), up to 70 ipm (color) Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600
canner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets	dp; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone
it depth / Grayscale levels	24-bit / 256	
igital sending standard eatures	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; CRr. Local Address 80ox; SMTP ower SSI; Blank Page Removal; Edge Fazes, Auto Color Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; ORR
opy	Black (ISO): Up to 50 cpm; Color (ISO): Up to 50 cpm; First copy out: As fast as 7 sec Black; As fast as 9 sec Color; 2-	sided: In to 25 cpm Rlack: In to 25 cpm Color
Copy speed ⁴ Copy resolution	Black (text and graphics): Up to 600 x 600 dpi (flatbed), 600 x 450 dpi (ADF); Color (text and graphics): Up to 600 x 600 dpi (flatbed), 600 x 450 dpi (ADF); Color (text and graphics): Up to 600 x	
Maximum Number of Copies	Up to 9999 copies	
opier resize opier settings	25 to 400% Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N o	r7-ordering content orientation, collation, booklet, ID Scan, job build, edge_to_edge, job storage
ax	Two stace copyling, scalability, image ediastricins (adminess, contrast, background dearrap, sharpiness), it up, it of	2. Ordering, content orientation, collation, bookiet, ib scan, job balla, eage to eage, job storage
ax speed		Up to:33.6 kbps / Letter:3 sec per page
ax resolution		Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 204 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number
ax smart software features		confirmation; Holiday fax schedule
ax Features		Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: Yes; Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported: Yes; Remote retrieval capability supported: No; Delephone handset supported: No; Text supported: No;
onnectivity		саравиту зарротеся на, тетерготе напазет зарротеся но
tandard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port
etwork capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3a	
/ireless capability	Optional, enabled with purchase of a hardware accessory	
Nobile printing capability Nemory	HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0 Standard: 2048 MB; Maximum: 2816 MB	
Processor spood	1.2 GHz / Hard disk: Standard, embedded HP High-Performance Secure Hard Disk, minimum 500 GB; AES 256	1.2 GHz / Hard disk : Standard, embedded HP High-Performance Secure Hard Disk, minimum 500 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-J
Processor speed	hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk).	 Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500
Outy cycle (monthly)	haroware encryption or greater; Secure erase capabilities is secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure Aff A Erase-Dist. Letter:Up to 120,000 pages; Recommended monthly page volume ⁸ : 2000 to 15,000	Battware end ybunor of greater, sective erase capabilities (sectore rife erase-lemboary) bor rife. Sectore erase-9 bata, Secure AfA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 di
Outy cycle (monthly) Paper handling	Data, Secure ATA Erase-Disk). Letter:Up to 120,000 pages; Recommended monthly page volume ⁸ : 2000 to 15,000	Data, Secure ATA Erase–Disk). Note: U.S. government SKU includes FIPS 140–2 validated hard disk, minimum 500 GB
Duty cycle (monthly) Paper handling nput	Data, Secure ATA Erase-Disk).	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB ; Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal
outy cycle (monthly) Paper handling Input Jutput Juplex Options	Data, Secure ATA Erase-Disk). Letter:Up to 120,000 pages; Recommended monthly page volume ⁸ : 2000 to 15,000 500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB ; Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal
outy cycle (monthly) laper handling hput lutput lutput luplex Options uto document feeder apacity	Data, Secure ATA Erase-Disk). Letter:Up to 120,000 pages; Recommended monthly page volume ⁸ : 2000 to 15,000 500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB ; Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal
Duty cycle (monthly) Paper handling Input Input Input Input Inpulex Options Into document feeder Input Invelope feeder	Data, Secure ATA Erase-Disk). Letter:Up to 120,000 pages; Recommended monthly page volume ⁸ : 2000 to 15,000 500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard: 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard)	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB ; Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal
outy cycle (monthly) apper handling upput utput utput utput utput utpots options uto document feeder appacity nvelope feeder tandard paper trays	Data, Secure ATA Erase-Disk). Letter:Up to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard: 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkiet plain page	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB (SNot Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 100 sheets Labels
Duty cycle (monthly) Paper handling Input	Data, Secure ATA Erase-Disk). Letter:Up to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper)	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB ; Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 100 sheets Labels er), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (gloss)
buty cycle (monthly) raper handling riput hutput hutput hutput hutput sud occument feeder apacity nvelope feeder tandard paper trays tedia types	Data, Secure ATA Erase-Disk). Letter:Up to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard: 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper)	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB ; Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 1100 sheets Labels er), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (gloss drift: Trav 2: 16 to 32 lb folain paper): 33 to 66 lb fobboto\(^2\) 20 to 24 lb (envelope): 32 to 48 lb (brochure): 90 to 110 lb
outy cycle (monthly) Paper handling Input	Data, Secure ATA Erase-Disk.) Letter:Up to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard: 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 16 to 22 lb (plain pager); 33 to 80 lb (photo); 20 to 24 lb (bervelope); 32 to 48 lb (brochure); 90 to 110 lb (card; Card); Optional Tray 3: 16 to 32 lb (plain pager); 33 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 66 lb (photo); 20 to 42 hourvel; 90 to 110 lb (card); Optional Tray 3: 16 to 66 lb (photo); 20 to 45 lb (photo); 20 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 66 lb (photo); 20 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 68 lb (photo); 20 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain pager); 33 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain pager); 33 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain pager); 33 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain pager); 33 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain pager); 33 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain pager); 33 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain pager); 33 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain pager); 31 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain pager); 31 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain pager); 31 to 48 lb (brochure); 90 to 1	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB ; Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal) 100 sheets Labels er), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glos rd); Tray 2: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 4: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray
buty cycle (monthly) apper handling uput butput tuplex Options uto document feeder apacity nvelope feeder tandard paper trays tedia types feedia weight tedia sizes	Data, Secure ATA Erase-Disk). Letter:Up to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard: 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper)	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB ; Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal b 100 sheets Labels 100 sheets Labels er), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glos rd), Tray 2: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb lonal Tray 4: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb lorad); Optional Tray 3: Letter, statement, executive, envelopes (No. 10); Optional Tray 3: Letter, oficio, legal, statement, executive;
buty cycle (monthly) apper handling upput uttput uttput uttput utupot uto document feeder appacity nvelope feeder tandard paper trays tedia types feedia weight feedia sizes tedia Sizes Custom Jimensions (w x d x h)	Data, Secure ATA Erase-Disk). Letter:Up to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (Standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain papor orchure, mafte brochure, in-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 16 to 32 lb (plain paper); 33 to 80 lb (photol); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb (card); Optifot 32 lb (plain paper); 33 to 66 lb (photol); 32 to 48 lb (brochure); 90 to 110 lb (card); Optifot 32 lb (plain paper); 33 to 66 lb (photol); 32 to 48 lb (brochure); 90 to 110 lb (card); Optifot 32 lb (plain paper); 33 to 66 lb (photol); 32 lb (qlain paper); 33 to 66 lb (photol); 32 lb (qlain paper); 33 to 66 lb (photol); 32 lb (qlain paper); 33 to 66 lb (photol); 32 lb (qlain paper); 33 to 66 lb (photol); 32 lb (qlain paper); 33 to 65 lb (photol); 32 lb (qlain paper); 33 to 65 lb (photol); 32 lb (qlain paper); 33 to 65 lb (photol); 32 lb (qlain paper); 33 to 65 lb (photol); 32 lb (qlain paper); 33 to 65 lb (photol); 32 lb (qlain paper); 33 to 65 lb (photol); 32 lb (qlain paper); 33 to 65 lb (photol); 32 lb (qlain paper); 33 to 65 lb (photol); 32 lb (qlain paper); 33 to 65 lb (photol); 32 lb (qlain paper); 33 to 65 lb (photol); 32 lb (qlain paper); 33 lb (quality); 33 lb (quality); 34 lb (qua	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB ; Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 1100 sheets Labels er), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glos rd); Tray 2: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb lonal Tray 4: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (card), Optional Tray 3: Letter, statement, executive, envelopes (No. 10); Optional Tray 3: Letter, oficio, legal, statement, executive; 11 Tray 4: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in
Duty cycle (monthly) Paper handling Input	Data, Secure ATA Erase-Disk.) Letter:Up to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, th-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 16 to 32 lb (plain paper), 33 to 80 lb (photo); 20 to 24 lb (before) pot to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper); 33 to 80 lb (photo); 20 to 24 lb (before) pot to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper); 33 to 80 lb (prochure); 90 to 110 lb (card); Optional Tray 4: Letter, officio, legal, statement, executive, 90 in 4 in 10 lb (card); 13 x 5 ln to 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional 71.2 lb	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB (Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 1000 sheets Labels (Provided Fig. 1000 sheets Labels 1000 sheets Labels) (Provided Fig. 1000 sheets Labels 1000 sheets
Duty cycle (monthly) Paper handling Input	Data, Secure ATA Erase-Disk.) Letter:Up to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, th-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 16 to 32 lb (plain paper), 33 to 80 lb (photo), 22 to 48 lb forochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper), 32 to 48 lb forochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper); 32 to 48 lb forochure); 90 to 110 lb (card); 17 letter, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x S in, 5 x S in, envelopes (No. 10, Monarch); Tray 1: Letter, officio, legal, statement, executive, 9 to 10 to 10 lb (card); 12 x S in to 8.5 x 14 in; Tray 2: 4 to 2.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Card, 2 x 2.2 x 2.0 8 in; Maximum; 6.2 x 9.4 x 9.5 x	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB (Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 100 sheets Labels erd, photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glos rd); Tray 2: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure), 90 to 110 lb (card); Optional Tray 4: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray ay 2: Letter, statement, executive, envelopes (No. 10); Optional Tray 3: Letter, oficio, legal, statement, executive; li Tray 4: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 in to 8.5 x 10 kg. Tray 6: 4.0 x 8.3 kg. Tray 6: 4
Duty cycle (monthly) Paper handling Input	Data, Secure ATA Erase-Disk.) LetterJup to 120,000 pages; Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, in-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 16 to 32 lb (plain paper); 33 to 80 lb (photol); 20 to 24 lb (bervolepe); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper); 35 to 86 lb (photol); 20 to 24 lb (bervolepe); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper); 35 to 86 lb (photol); 20 to 24 lb (bervolepe); 90 to 110 lb (card); Optional Tray 4: Letter, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x 7 in, 5 x 8 in, envelopes (No. 10, Monarch); Tray 1: 3 x 5 in to 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 ii; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 4: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5:	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB (Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 100 sheets Labels erl, photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glos rd); Tray 2: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb (orard); Optional Tray 4: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 32; Letter, statement, executive; and 12 Letter, statement, executive; and 12 Letter, statement, executive; and 13 Letter, statement, executive; and 14 Letter, statement, executive; and 15 Letter, statement, executive; and 16 Letter, sta
Duty cycle (monthly) Paper handling Input	Data, Secure ATA Erase-Disk.) Letter:Up to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, th-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 16 to 32 lb (plain paper), 33 to 80 lb (photo), 22 to 48 lb forochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper), 32 to 48 lb forochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper); 32 to 48 lb forochure); 90 to 110 lb (card); 17 letter, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x S in, 5 x S in, envelopes (No. 10, Monarch); Tray 1: Letter, officio, legal, statement, executive, 9 to 10 to 10 lb (card); 12 x S in to 8.5 x 14 in; Tray 2: 4 to 2.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Card, 2 x 2.2 x 2.0 8 in; Maximum; 6.2 x 9.4 x 9.5 x	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB (Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 100 sheets Labels erl, photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glos rd); Tray 2: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb (orard); Optional Tray 4: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 32; Letter, statement, executive; and 12 Letter, statement, executive; and 12 Letter, statement, executive; and 13 Letter, statement, executive; and 14 Letter, statement, executive; and 15 Letter, statement, executive; and 16 Letter, sta
Duty cycle (monthly) Paper handling Input	Data, Secure ATA Erase-Disk.) Letter:Up to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paprochure, mafte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1:16 to 32 lb (plain paper) 33 to 80 lb (photo); 20 to 24 lb (blior paper); 31 et 08 lb (proto); 20 to 24 lb (blior paper); 31 et 08 lb (proto); 20 to 24 lb (blior paper); 31 et 08 lb (proto); 20 to 24 lb (pare); 20 to 48 lb (brochure); 90 to 110 lb (card); 0ptional Tray 3: 16 to 32 lb (plain paper); 33 to 48 lb (brochure); 90 to 110 lb (card); 0ptional Tray 4: Letter, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x S in, envelopes (No. 10, Monarch); Tray 1: Letter, officio, legal, statement, executive, 9 to 110 lb (card); 12 to 48 lb (brochure); 90 to 110 lb (card); 12 lb (12	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB (Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 1100 sheets Labels (er), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glos rd); Tray 2: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 4: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray ay 2: Letter, statement, executive, envelopes (No. 10); Optional Tray 3: Letter, oficio, legal, statement, executive; at 17ay 4: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in FIFT PageWide Managed Color Flow MFP ESB6502; HP Setup Ink Cartridges (yield after setup –6000 pages CMYK) installation guide. Support fley: Software drivers and documentation on CD-ROM; Power cord 16000 LSO yield) LOR17YC; HP 981YC Extra High Yield Magenta Original 16000 LSO yield) LOR17YC; HP 981YC Extra High Yield Magenta Original 1 requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in
buty cycle (monthly) apper handling apput utput	Data, Secure ATA Erase-Disk.) LetterJup to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, th-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 16 to 32 lb (plain paper), 33 to 80 lb (photo), 22 lb (palin paper), 31 to 80 lb (photo), 22 lb (palin paper), 32 lb (palin paper), 32 to 48 lb (brochure), 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper), 32 to 48 lb (brochure), 90 to 110 lb (card); Optional Tray 4: Letter, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x S in, 5 x S in, envelopes (No. 10, Monarch); Tray 1: 13 x S in to 8.5 x 14 in; Tray 2: 4 to 4 x B abs (brochure), 90 to 110 lb (card); 17 y J 3: 4 to 4 x Letter, officio, legal, statement, executive, 90 to 10 loan la Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Tray 2: 4 to 2.9 x 3.0 x 3	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB (R) Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal (R) Sup
Duty cycle (monthly) Paper handling Input	Data, Secure ATA Erase-Disk.) LetterUp to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, marte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 16 to 32 lb (plain paper) 31 to 80 lb (photo); 20 to 42 lb (penvalope); 22 to 48 lb (brochure); 90 to 110 lb (card); (potonal Tray 3: 16 to 32 lb (plain paper); 32 to 48 lb (prochure); 90 to 110 lb (card); (potonal Tray 3: 16 to 32 lb (plain paper); 32 to 48 lb (brochure); 90 to 110 lb (card); (potonal Tray 4: 14 tester, officio, legal, statement, executive, 32 to 48 lb (brochure); 90 to 110 lb (card); (potonal Tray 4: Letter, officio, legal, statement, executive; 3 to 43 lb (brochure); 90 to 110 lb (card); (potonal Tray 4: Letter, officio, legal, statement, executive; 3 to 43 lb (prochure); 90 to 110 lb (card); (potonal Tray 4: Letter, officio, legal, statement, executive; 3 to 43 lb (prochure); 90 to 110 lb (card); (potonal Tray 4: Letter, officio, legal, statement, executive; 3 to 43 lb (prochure); 90 to 110 lb (card); (potonal Tray 4: Letter, officio, legal, statement, executive; 3 to 43 lb (prochure); 90 to 110 lb (card); (potonal Tray 5: Letter, officio, legal, statement, executive; 3 to 43 lb (prochure); 90 to 110 lb (card); (potonal Tray 5: Letter, officio, legal, statement, executive; 3 to 43 lb (prochure); 90 to 110 lb (card); (potonal Tray 5: Letter, officio, legal, statement, executive; 3 to 43 lb (prochure); 90 to 110 lb (card); (potonal Tray 5: Letter, officio, legal, statement, executive; 3 to 43 lb (prochure); 90 to 110 lb (card); 10 lb (card)	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB (Not Supported, Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 1100 sheets Labels (er), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glos rd); Tray 2: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 4: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 2: Letter, statement, executive, envelopes (No. 10); Optional Tray 3: Letter, oficio, legal, statement, executive; 21 Tray 4: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in FIFT PageWide Managed Color Flow MFP ESB6502: HP Setup Ink Cartridges (vield after setup -6000 pages CMYK) installation guide. Support floer: Software drivers and documentation on CD-ROM: Power cord 16000 LSO yield) LOR17YC; HP 981YC Extra High Yield Magenta Original 16000 LSO yield) LOR17YC; HP 981YC Extra High Yield Magenta Original 1 requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in
buty cycle (monthly) apper handling apput uttput ut	Data, Secure ATA Erase-Disk.) Letter:Up to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheets face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, mafte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1:16 to 32 lb (plain paper) 31 to 80 lb (photo): 20 to 44 lb (brochure); 90 to 110 lb (card): (potional Tray 3: 16 to 32 lb (plain paper); 31 to 66 lb (photo): 20 to 48 lb (brochure); 90 to 110 lb (card): (potional Tray 3: 16 to 32 lb (plain paper); 31 to 66 lb (photo): 25 to 48 lb (brochure); 90 to 110 lb (card): (potional Tray 3: 16 to 32 lb (plain paper); 31 to 48 lb (brochure): 90 to 110 lb (card): (potional Tray 3: 16 to 32 lb (plain paper); 31 to 48 lb (brochure): 90 to 110 lb (card): (potional Tray 3: 16 to 32 lb (plain paper); 31 to 48 lb (brochure): 90 to 110 lb (card): (potional Tray 3: 4.0 kb, 31 lb (paper); 31 to 48 lb (brochure): 90 to 110 lb (card): (potional Tray 3: 4.0 kb, 31 lb (paper); 31 to 48 lb (brochure): 90 to 110 lb (card): (potional Tray 3: 4.0 kb, 31 lb (paper); 31 to 48 lb (brochure): 90 to 110 lb (card): (potional Tray 3: 4.0 kb, 31 lb (paper); 31 to 48 lb (brochure): 90 to 110 lb (card): (potional Tray 3: 4.0 kb, 31 lb (paper); 31 to 48 lb (brochure): 90 to 110 lb (card): (potional Tray 3: 4.0 kb, 31 lb (paper); 31 to 48 lb (brochure): 90 to 110 lb (card): (potional Tray 3: 4.0 kb, 31 lb (paper); 31 to 48 lb (brochure): 90 to 110 lb (card): (potional Tray 3: 4.0 kb, 31 lb (paper); 91 lb (paper);	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB (Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 100 sheets Labels er), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glos rd), Tray 2: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb ional Tray 4: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 32 Letter, officio, legal, statement, executive; 32 Letter, 4: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in Filtred) HP PageWide Managed Color Flow MFP ES86502; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK) installation guide, Support flyer; Software drivers and documentation on CD-ROM, Power cord led Cyan Original PageWide Cartridge (~16000 ISO yield) LOR1 TYC; HP 98 IYC Extra High Yield Magenta Original 16000 ISO yield LOR1 19YC. all requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreer; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket;
buty cycle (monthly) apper handling apput upput upput upput upput upput upput upput upput upput puplex Options und odcument feeder apacity nvelope feeder tandard paper trays feedia types feedia sizes	Data, Secure ATA Erase-Disk.) Letter:Up to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1:16 to 22 lb (plain paper) 33 to 80 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb (card); Coptional Tray 3: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 25 to 48 lb (brochure); 90 to 110 lb (card); Coptional Tray 3: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (card); Coptional Tray 4: Letter, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x S in, especialty paper) Tray 1:16 to 32 lb (plain paper); 33 to 68 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (card); Coptional Tray 4: Letter, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x S in, especialty paper) Tray 1:3 x S in to 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: Letter, officio, legal, statement, executive; Optional Tray 5: Letter, officio, legal, sta	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB Rot Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 100 sheets Labels er/, photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glos rd); Tray 2: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb ional Tray 4: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (card); 0ptonal Tray ay 2: Letter, statement, executive, envelopes (No. 10); 0ptional Tray 3: Letter, oficio, legal, statement, executive; 11 Tray 4: 4.0 x 8.3 in to 8.5 x 14 in; 0ptional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in 10 r lifted) HP PageWide Managed Color Flow MFP E586502; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK) left Cylor (plaid) (pl
buty cycle (monthly) apper handling apput upput upput upput upput upput upput upput upput upput puplex Options und odcument feeder apacity nvelope feeder tandard paper trays feedia types feedia sizes	Data, Secure ATA Erase-Disk.) LetterJup to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to 3tandard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, th-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 16 to 32 lb (plain paper); 33 to 80 lb (photo); 20 to 24 lb (pervelope); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper); 33 to 86 lb (photo); 23 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper); 33 to 80 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 4: Letter, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x 7 in, 5 x 8 lin, envelopes (No. 10, Monarch); Tray 1: 13 x S in to 8.5 x 14 in; Tray 2: 6 x 0 x 8.3 in to 8.5 x 11 in; Tray 2: 6 x 0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Tray 2: 6 x 2 x 9.6 x 30.9 in, (with left door open, main paper tray open, obecoment feede 71.2 lb HP PageWide Amanaged Color MPP E58650dn; HP Setup Ink Cartridge (vield after setup -6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord HP 981VC Extra High Yield Black Original PageWide Cartridge (~21000) ISO yield LDR 20VC; HP 981VC Extra High Yield Vellow Original PageWide Cartridge (~2000) ISO yield DR 20VC; HP 981VC Extra High Yield Vellow Original PageWide Cartridge (~2000) ISO yield DR 20VC; HP 981VC Extra High Yield Vellow Original Pa	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB (Rot Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 100 sheets Labels (Rot Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 100 sheets Labels (Rot Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 100 sheets Labels (Rot Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 100 sheets Labels (Rot Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 100 sheets Labels (Rot Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 100 sheets Labels (Rot Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 101 lb (card); Optional Tray 121 for 101 lb (card); Optional Tray 101 lb (card); Opt
uty cycle (monthly) aper handling aper handling upput utput uutput uutput uutpuk Options uto document feeder apacity nvelope feeder tandard paper trays ledia types ledia sizes ledia sizes ledia sizes ledia sizes Custom imensions (w x d x h) veloght 1 what's in the box eeplacement cartridges 3 varranty features nergy efficiency compliance ontrol panel lisplay oftware included onts and typefaces	Data, Secure ATA Erase-Disk.) Letter:Up to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, mafte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1:16 to 32 lb (plain paper) 33 to 80 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 4: Letter, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x S in, especipes (No. 10, Monarch); Tro Optional Tray 4: Letter, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x S in, especipes (No. 10, Monarch); Tro Optional Tray 4: Letter, officio, legal, statement, executive, 10 x S in to 8.5 x 14 in; Optional Tray 4: Letter, officio, legal, statement, executive, 10 x S in to 8.5 x 14 in; Optional Tray 4: Letter, officio, legal, statement, executive, 10 x S in to 8.5 x 14 in; Optional Tray 4: Letter, officio, legal, statement, executive, 10 x S in to 8.5 x 14 in; Optional Tray 3: Love the control of	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB (Not Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 100 sheets Labels er), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glost) and the state of the
buty cycle (monthly) apper handling apput utput uutput uutput uutput uutput puplex Options uuto document feeder apacity nvelope feeder tandard paper trays fledia types fledia sizes fledia sizes fledia Sizes Custom Jimensions (w x d x h) velght ¹ what's in the box terplacement cartridges ³ Varranty features inergy efficiency compliance control panel Jisplay offtware included onts and typefaces ompatible operating ystems ¹¹	Data, Secure ATA Erase-Disk.) LetterJup to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Standard; 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, tri-fold brochure, 14gakl, greeting cards, other inkjet specialty paper) Tray 1: 16 to 22 lb (plain paper); 33 to 80 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb (card; Optional Tray 3: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 44 lb (prochure); 90 to 110 lb (card); Optional Tray 4: 14 Lette, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x 7 in, 5 x B in, envelopes (No. 10, Monarch); Tray 1: 1: Letter, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x 7 in, 5 x B in, envelopes (No. 10, Monarch); Tray 1: 13 x S in to 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 4: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 2.4 0 x B in to 8.5 x 14 in; Optional Tray 5: 4.0 x B in; 4 x S in to 8.5 x 14 in; 4 in; Optional Tray 5: 4.0 x B in; 4 x S in to 8.5 x 14 in; 5 to 8 x S in to 8.5 x 14 in; 5 to 8 x S in to 8.5 x 14 in; 5 to 8 x S in to 8.5 x 14 in; 6 to 8 x S in to 8.5 x 14 in; 7 to 9 x S in to 8.5 x 14 in; 7 to 9 x S in to 8.5 x 14 in; 7 to 9 x S in to 8.5 x 14 in; 7 to 9 x S in to 8.5 x 14 in; 7 to 9 x S in to 8.5 x 14 in; 9 x S in to 8.5 x 14 in; 9 x S in to 8.5 x 14 in; 9 x S in to 8.5 x 14 in; 9 x S in to 8.5 x 14 in; 9 x S in to 8.5 x 14 in; 1 in; 9 x S in to 8.5 x 14 in; 1 in; 9 x S in to 8.5 x 14 in	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB (Rot Supported; Up to 100 cards; Up to 425 sheets Labels; Not Supported Legal 1100 sheets Labels (Price of the Support of Support Optional Support of Support Optional Sup
buty cycle (monthly) laper handling laput lutput luplex Options unto document feeder apacity nvelope feeder landard paper trays ledia weight ledia sizes ledia sizes ledia sizes Custom limensions (w x d x h) ledia sizes ledia sizes ledia feedia weight ledia sizes ledia s	Data, Secure ATA Erase-Disk.) LetterJup to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Standard; 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, tri-fold brochure, 14gakl, greeting cards, other inkjet specialty paper) Tray 1: 16 to 22 lb (plain paper); 33 to 80 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb (card; Optional Tray 3: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 44 lb (prochure); 90 to 110 lb (card); Optional Tray 4: 14 Lette, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x 7 in, 5 x B in, envelopes (No. 10, Monarch); Tray 1: 1: Letter, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x 7 in, 5 x B in, envelopes (No. 10, Monarch); Tray 1: 13 x S in to 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 4: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 2.4 0 x B in to 8.5 x 14 in; Optional Tray 5: 4.0 x B in; 4 x S in to 8.5 x 14 in; 4 in; Optional Tray 5: 4.0 x B in; 4 x S in to 8.5 x 14 in; 5 to 8 x S in to 8.5 x 14 in; 5 to 8 x S in to 8.5 x 14 in; 5 to 8 x S in to 8.5 x 14 in; 6 to 8 x S in to 8.5 x 14 in; 7 to 9 x S in to 8.5 x 14 in; 7 to 9 x S in to 8.5 x 14 in; 7 to 9 x S in to 8.5 x 14 in; 7 to 9 x S in to 8.5 x 14 in; 7 to 9 x S in to 8.5 x 14 in; 9 x S in to 8.5 x 14 in; 9 x S in to 8.5 x 14 in; 9 x S in to 8.5 x 14 in; 9 x S in to 8.5 x 14 in; 9 x S in to 8.5 x 14 in; 1 in; 9 x S in to 8.5 x 14 in; 1 in; 9 x S in to 8.5 x 14 in	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB Robert Stabels er), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glos rd), Tray 2: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb ional Tray 4: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (card), Optional Tray 3: Letter, statement, executive, envelopes (No. 10); Optional Tray 3: Letter, oficio, legal, statement, executive; 11 Tray 4: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 6: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 6: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 6: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 6: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 6: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 6: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 8: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 8: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 8: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 8: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 9: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 9: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 9: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 9: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 9: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 9: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 9: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 9: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 9: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 9:
luty cycle (monthly) aper handling aper handling apput ut but utput utput uuplex Options uto document feeder apacity nvelope feeder tandard paper trays ledia types ledia sizes ledia sizes ledia sizes ledia sizes Custom immensions (w x d x h) velght what's in the box leplacement cartridges ³ varranty features nergy efficiency compliance ontrol panel lisplay oftware included onts and typefaces ompatible operating ystems ¹ ompatible network perating systems	Data, Secure ATA Erase-Disk1. LetterJup to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheets Standard; Up to 37 envelopes Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 16 to 22 lb (plain paper); 33 to 80 lb (photo); 20 to 24 lb (benvelope); 32 to 48 lb brochure); 90 to 110 lb (card; Card), Optional Tray 3: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 44 lb (brochure); 90 to 110 lb (card); Optional Tray 4: 14 lb; 4: Letter, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x 7 in, 5 x 8 lin, envelopes (No. 10, Monarch); Tray 1: 1: 13 x 5 in to 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Tray 1: 3 x 5 in to 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: 4.0 x 8.3 in to 8.5 x 14	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 50 GB GB and CB GB
buty cycle (monthly) laper handling laper tays lapacity melope feeder landard paper trays ladia types ladia sizes ladia sizes ladia sizes (ustom limensions (w x d x h) laper handling lap	Data, Secure ATA Erase-Disk1. Letter:Up to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, thi-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 16 to 32 lb (plain paper), 33 to 80 lb (photo), 20 to 24 lb (benvelope), 32 to 48 lb (brochure), 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper), 33 to 66 lb (photo), 32 to 48 lb (brochure), 90 to 110 lb (card); Optional Tray 4: Letter, officio, legal, statement, executive, 91 optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Tray 1: 2 x 5 in to 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: Letter, officio, legal, statement, executive, Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: Letter, officio, legal, statement, executive, Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Tray 5: Letter, officio, legal, statement, executive, Optio	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB GB CB
buty cycle (monthly) apper handling apput butput bu	Data, Secure ATA Erase-Disk1. LetterJup to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to 3tandard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, th-fold brochure; Hagakl, greeting cards, other inkjet specialty paper) Tray 1: 16 to 32 lb (plain paper); 33 to 80 lb (photo); 20 to 24 lb (pervelope); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper); 33 to 65 lb (photo); 20 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 52 lb (plain paper); 33 to 65 lb (photo); 20 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 4: Letter, officio, legal, statement, executive, 3 x S in, 4 x S in, 5 x 7 in, 5 x 8 ln, envelopes (No. 10, Monarch); Tray 1: 13 x 5 in to 8.5 x 14 in; Tray 2: 40 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Card x 4: Letter, officio, legal, statement, executive, Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in; Optional Card x 10 x 1	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 50 GB GB CB
buty cycle (monthly) laper handling laput lutput luplex Options uto document feeder apacity nvelope feeder landard paper trays ledia sizes ledia sizes ledia sizes ledia sizes Custom limensions (w x d x h) ledia sizes ledia sizes Custom limensions (w x d x h) ledia sizes ledia vege ledia veg	Data, Secure ATA Erase-Disk1. LetterJup to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheets face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, th-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 16 to 32 lb (plain paper), 33 to 80 lb (photo), 20 to 24 lb (benvelope), 32 to 48 lb fororbure), 90 to 110 lb (card), Optional Tray 3: 16 to 32 lb (plain paper), 33 to 46 lb (brochure), 90 to 110 lb (card), Optional Tray 3: 16 to 32 lb (plain paper), 33 to 48 lb (brochure), 90 to 110 lb (card), Optional Tray 4: Letter, officio, legal, statement, executive, 91 should have the complex of the complex o	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB GB and State Companies of the
Duty cycle (monthly) Paper handling	Data, Secure ATA Erase-Disk1. LetterJup to 120,000 pages, Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to 35 standard; 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brochure, matte brochure, th-fold brochure, Hagakl, greeting cards, other inkjet specialty paper) Tray 1:16 to 32 lb (plain paper); 33 to 80 lb (photo); 20 to 24 lb (benvelope); 32 to 48 lb brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 42 lb (pewlope); 32 to 48 lb brochure); 90 to 110 lb (card); Optional Tray 3: 16 to 32 lb (plain paper); 33 to 66 lb (photo); 20 to 42 lb (pewlope); 32 to 48 lb brochure); 90 to 110 lb (card); Optional Tray 4: 4 Letter, officio, legal, statement, executive, 91 ks in, 4 x 6 in, 5 x 7 in, 5 x 8 ln, envelopes (No. 10, Monarch); Tray 1: 13 x 5 into 8.5 x 14 in; Tray 7: 4 to 3.5 x 14 in; Tray 7: 4 to 5.5 x	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB GB CB
Duty cycle (monthly) Paper handling Input Dutput Du	Data, Secure ATA Erase-Disk1. Letter/Lip to 120,000 pages; Recommended monthly page volume ⁸ : 2000 to 15,000 500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No Pain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paporochure, mainter brodruce, thi-fold brochure, Hagala, greeting cards, other inkjet specialty paper) Tray 1: 16 to 32 lb (plain paper), 33 to 80 lb (photo); 22 to 48 lb (prochupe), 22 to 48 lb (prochupe), 23 lb (plain paper), 31 to 66 lb (photo); 22 to 48 lb (prochupe), 25 lb (plain paper), 31 to 66 lb (photo); 22 to 48 lb (prochupe), 20 to 110 lb (card), 01 lb	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB GB CB
Outy cycle (monthly)	Data, Secure ATA Erase-Disk1. LetterJup to 120,000 pages; Recommended monthly page volume ⁸ : 2000 to 15,000 S00-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Up to 500 sheets Standard; Up to 37 envelopes Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard; 300 sheet face-down output bin; Up to 300 sheets Standard; Up to 35 envelopes; Up to 100 cards; Up to Automatic (standard) Standard, 100 sheets No 2 Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain pap brotchure, matte brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 16 to 32 lb (plain paper); 33 to 80 lb (photol), 20 to 24 lb (benvelope); 32 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray; 3: 16 to 32 lb (plain paper); 33 to 66 lb (photol), 25 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray; 3: 16 to 52 lb (plain paper); 33 to 66 lb (photol), 25 to 48 lb (photol), 25 to 48 lb (plain paper); 31 to 65 lb (photol), 25 to 48 lb (photol), 27 to 48 lb (plain paper); 31 to 65 lb (photol), 25 to 48 lb (photol), 27 lb (card), Optional Tray; 1: 16 to 52 lb (plain paper); 33 to 65 lb (photol), 25 to 48 lb (photol), 25 to 48 lb (photol), 27 lb (card), Optional Tray; 1: 16 to 52 lb (plain paper); 35 to 66 lb (photol), 25 to 48 lb (brochure), 90 to 110 lb (card) Tray 1: 13 x 5 into 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 ii; Optional Tray; 3: 4.0 x 8.3 in to 8.5 x 14 ii; Optional Tray; 3: 4.0 x 8.3 into 8.5 x 14 ii; Optional Tray; 3: 4.0 x 8.3 into 8.5 x 14 ii; Optional Tray; 3: 4.0 x 8.3 into 8.5 x 14 ii; Optional Tray; 3: 4.0 x 8.3 into 8.5 x 14 ii; Optional Tray; 3: 4.0 x 8.3 into 8.5 x 14 ii; Optional Tray; 3: 4.0 x 8.3 into 8.5 x 14 ii; Optional Tray; 3: 4.0 x 8.3 into 8.5 x 14 ii; Optional Tray; 3: 4.0 x 8.3 into 8.5 x 14 ii; Optional Tray; 3: 4.0 x 8.3 into 8.5 x 14 ii; Optional Tray; 3: 4.0 x 8.3 into 8.5 x 14 ii; Optional Tray; 3: 4.0 x 8.3	Data, Secure ATA Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard disk, minimum 500 GB GB CB

Data sheet | HP PageWide Managed Color MFP E58650 series

- ¹ With ink installed, no media in trays
- Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- ³ Average color composite (cyan/magenta/yellow) pages and black yields based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- 4 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁵ Upgradeable with 1GB DIMM
- 6 ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see http://www.hp.com/go/printerclaims
 7 Exact speed varies depending on the system configuration, software application, driver and document complexity.
- ⁸ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

 9 HP recommends that the number of scanned pages per month be within the stated range for optimum device performance
- 10 HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit http://www.hp.com/go/SureSupply
- 11 Not all "Compatible Operating Systems" are supported with INBOX software; Full solution software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only; Windows RT OS for Tablets (32 - & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX modelscripts are available on HP.com (Modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software; HP Software for Mac is no longer included on the CD, but can be downloaded from hp.com; The Mac printer drivers are installed for Mac operating systems. ¹² Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).



